Odds

Grinnell College

September 17, 2025

Talk about coin flip, LLN, etc.,

What we do today

- Introduce odds and probabilities
- Contingency tables
- Odds ratios

Odds and Probability

When dealing with a *binary* event, we often speak in terms of **odds**, a *ratio* of "number of successes" to "number of failures"

This is distinct from the idea of **probabilities**, which give a ratio of the "number of successes" to the number of possible outcomes

```
# success : # total outcomes
: # success + # failure
```

Odds

Suppose we have a 6-sided die, and we are interested in rolls that land on either 1 or 2.

$$\mathsf{Die} = \{ 1, 2, 3, 4, 5, 6 \}$$

- ► The probability of rolling a 1 or 2 is 1/3
 - 1. There are 6 possible outcomes
 - 2. There are 2 possible successes
 - 3. Probability is 2 / 6 = 1/3
- ▶ The *odds* of rolling a 1 or 2 are 2:4 (or 1:2)
 - 1. There are 2 possible successes
 - 2. There are 4 possible failures
 - 3. The odds of success are 2:4 (or 1:2)

Contingency Tables

A **contingency table** is a special two-way table in which both categorical variables have a binary response

| | Event | Non-Event |
|-------------|-------|-----------|
| Exposure | А | В |
| No Exposure | С | D |

Specifically, we have event and non-event (order matters)

Determining Association

Situation 1:

| | Event | Non-Event |
|-------------|-------|-----------|
| Exposure | 6 | 2 |
| No Exposure | 3 | 2 |

Situation 2:

| | Event | Non-Event |
|-------------|-------|-----------|
| Exposure | 103 | 2 |
| No Exposure | 100 | 2 |

- 1. Difference in odds for each situation?
- 2. Ratio of odds for each situation?

Odds Ratio

An **odds ratio** is the ratio of odds between two groups

| | Event | Non-Event |
|-------------|-------|-----------|
| Exposure | А | В |
| No Exposure | С | D |

- ▶ The odds of an event for the exposure group are A:B (or A/B)
- ▶ The odds of an event for the no exposure group are C:D (or C/D)

The **odds ratio** for these groups is then the ratio of their odds:

$$\theta = OR = \frac{A:B}{C:D} = \frac{A/B}{C/D} = \frac{A \times D}{B \times C}$$

Group Rows

Changing the rows will change which group is being compared to which

Case 1:

| | Enjoy Ice Cream | |
|-------|-----------------|----|
| Age | Yes | No |
| Child | 16 | 4 |
| Adult | 4 | 8 |

Case 2:

| | Enjoy Ice Cream | |
|-------|-----------------|----|
| Age | Yes | No |
| Adult | 4 | 8 |
| Child | 16 | 4 |

Event vs Non-Event

Which column is our "Event" also changes how we report our results

Case 1:

| | Enjoy Ice Cream | |
|-------|-----------------|----|
| Age | Yes | No |
| Child | 16 | 4 |
| Adult | 4 | 8 |

Case 2:

| | Enjoy Ice Cream | |
|-------|-----------------|-----|
| Age | No | Yes |
| Child | 4 | 16 |
| Adult | 8 | 4 |

Considerations

From these examples, there are a few things that are worth considering:

- ▶ For a given odds ratio θ , the order of columns or rows will give us either θ or $1/\theta$
- If we compute a value $\theta < 1$, "flipping" the statement will allow us to report an odds ratio greater than 1
- ▶ What inferences can be made if we find that $\theta = 1$?
- The easiest thing you can do is make odds seem difficult
 - 1. Think about what you want to say
 - 2. Find the odds for each group
 - 3. Report the ratio

Example

Here, we tabulate survivors from the Titanic based on age

| | Survived | |
|-------|----------|------|
| Age | Yes | No |
| Child | 57 | 52 |
| Adult | 654 | 1438 |

Produce three valid statements regarding odds that can be made from this table (e.g., "The odds of an *adult surviving* are ... times the odds of a *child surviving*")

Odds Ratio Summary

- Odds and probabilities
- ► Column/row order matters
- Odds ratios
- ightharpoonup OR > 1, OR = 1, OR < 1
- ► Always ask yourself: "Does what I'm saying make sense?"